

APPENDIX 4: COMMON NAME LIST WITH EQUIVALENT SCIENTIFIC NAMES

Alphabetized common name list and equivalent scientific names of seed kinds described or mentioned in Tables 2A and 6A.

COMMON NAME – SCIENTIFIC NAME

acacia — two genera
Senegalia spp.
Vachellia spp.
 achillea — *Achillea ptarmica*
 aconite — *Aconitum napellus*
 Adam’s-needle — *Yucca filamentosa*
 African-daisy — *Dimorphotheca sinuata*
 African-daisy, lilac — *Arctotis venusta*
 African violet — *Saintpaulia* spp.
 ageratum — *Ageratum* spp.
 ailanthus — *Ailanthus altissima*
 alfalfa — *Medicago sativa*
 alfilaria — *Erodium cicutarium*
 alyceclover — *Alysicarpus vaginalis*
 alkaliweed — *Cressa* spp.
 alyssum — two genera
 golden-tuft — *Aurinia saxatilis*
 sweet — *Lobularia maritima*
 amaranth — *Amaranthus* spp.
 American planetree — *Platanus occidentalis*
 anagallis — *Anagallis arvensis*
 — *A. monelli*
 anemone — *Anemone pulsatilla*
 angel’s trumpet — *Brugmansia arborea*
 anise — *Pimpinella anisum*
 Apache-plume — *Fallugia* spp.
 apple — *Malus* spp.
 apricot — *Prunus armeniaca*
 arborvitae — two genera
 Chinese — *Platycladus orientalis*
 eastern — *Thuja occidentalis*
 giant — *Thuja plicata*
 Oriental — *Platycladus orientalis*
 arctotis — *Arctotis venusta*
 armeria — *Armeria* spp.
 arrowleaf balsamroot — *Balsamorhiza sagittata*
 artichoke — *Cynara cardunculus*
 arugula — *Eruca vesicaria* subsp. *sativa*
 ash — *Fraxinus* spp.
 black — *F. nigra*
 European — *F. excelsior*
 green — *F. pennsylvanica*
 Oregon — *F. latifolia*
 white — *F. americana*
 asparagus — *Asparagus officinalis*
 asparagus — *Asparagus* spp.
 fern — *A. setaceus*

COMMON NAME – SCIENTIFIC NAME

Sprenger — *A. densiflorus* ‘Sprengeri’
 aster — two genera
 China — *Callistephus chinensis*
 New England — *Symphotrichum novae-angliae*
 aubrieta — *Aubrieta deltoidea*
 baby-blue-eyes — *Nemophila menziesii*
 baby’s-breath — *Gypsophila* spp.
 bachelor’s-button — *Centaurea cyanus*
 bahiagrass — *Paspalum notatum*
 balloon-flower — *Platycodon grandiflorus*
 balloonvine — *Cardiospermum halicacabum*
 balm — *Melissa officinalis*
 balsam — *Impatiens balsamina*
 balsamroot — *Balsamorhiza* spp.
 barberry — *Berberis* spp.
 European — *B. vulgaris*
 Japanese — *B. thunbergii*
 barley — *Hordeum* spp.
 barley — *Hordeum vulgare* subsp. *vulgare*
 meadow — *Hordeum* spp.
 wild — *Hordeum* spp.
 basil, sweet — *Ocimum basilicum*
 basket-of-gold — *Aurinia saxatilis*
 basket-flower — *Plectocephalus americana*
 bean — three genera
 adzuki — *Vigna angularis*
 castor — *Ricinus communis*
 field — *Phaseolus vulgaris*
 garden — *Phaseolus vulgaris*
 lima — *P. lunatus*
 mung — *Vigna radiata* var. *radiata*
 scarlet runner — *P. coccineus*
 yard-long — *Vigna unguiculata*
 subsp. *unguiculata*
 beardgrass — *Bothriochloa* spp.
 beardtongue, Penland’s — *Penstemon penlandii*
 beefwood — *Casuarina* spp.
 beehive, Rocky Mountain — *Peritoma serrulata*
 beet — *Beta vulgaris* subsp. *vulgaris*
 field — *B. vulgaris* subsp. *vulgaris*
 sugar — *B. vulgaris* subsp. *vulgaris*
 beggarticks — *Bidens* spp.
 beggarweed, Florida — *Desmodium tortuosum*
 begonia — *Begonia* spp.
 belladonna — *Atropa belladonna*
 bellflower — *Campanula* spp.
 Carpathian — *C. carpatica*

AOSA Rules for Testing Seeds

COMMON NAME – SCIENTIFIC NAME

cup and saucer — *C. medium*
 peach — *C. persicifolia*
 bells — three genera
 Canterbury — *Campanula medium*
 cathedral — *Cobaea scandens*
 coral — *Heuchera sanguinea*
 bells-of-Ireland — *Moluccella laevis*
 bells-of-Scotland, blue — *Campanula rotundifolia*

bentgrass — *Agrostis* spp.
 Astoria — *A. capillaris* ‘Astoria’
 colonial — *A. capillaris*
 creeping — *A. stolonifera* var. *palustris*
 Highland — *A. capillaris* ‘Highland’
 velvet — *A. canina*

bergamot — *Monarda didyma*
 — *M. citriodora*
 wild — *M. fistulosa*

bermudagrass — *Cynodon dactylon* var. *dactylon*
 bermudagrass, giant — *C. dactylon* var. *aridus*
 biennial turnip rape — *Brassica rapa*
 birch — *Betula* spp.
 European white — *B. pendula*
 gray — *B. populifolia*
 paper — *B. papyrifera*
 river — *B. nigra*
 sweet — *B. lenta*
 yellow — *B. alleghaniensis*

birds-eye — *Ipomopsis* spp.
 biscuitroot — *Lomatium* spp.
 biscuitroot, barestem — *Lomatium nudicaule*
 bitterbrush, antelope — *Purshia tridentata*
 bittersweet — *Celastrus* spp.
 American — *C. scandens*
 Oriental — *C. orbiculatus*

blackbush — *Coleogyne* spp.
 black-eyed-Susan — *Rudbeckia hirta* L.
 black-eyed-Susan-vine — *Thunbergia alata*
 black medick — *Medicago lupulina*
 blazingstar, marsh — *Liatris spicata*
 blue-bedder sage — *Salvia farinacea*
 bluecurls — *Trichostema* spp.
 bluegrass — *Poa* spp.
 annual — *P. annua*
 bulbous — *P. bulbosa*
 Canada — *P. compressa*
 glaucantha — *P. glauca*
 Kentucky — *P. pratensis*
 Nevada — *P. secunda*
 rough — *P. trivialis*
 Texas — *P. arachnifera*
 wood — *P. nemoralis*

bluejoint — *Calamagrostis canadensis*

COMMON NAME – SCIENTIFIC NAME

blue laceflower — *Trachymene coerulea*
 bluestar — *Amsonia* spp.
 bluestem — three genera
 big — *Andropogon gerardi*
 broomsedge — *Andropogon virginicus*
 little — *Schizachyrium scoparium*
 sand — *Andropogon hallii*
 yellow — *Bothriochloa ischaemum*

blue wishbone-flower — *Torenia fournieri*
 boneset — *Eupatorium* spp.
 borage — *Borago officinalis*
 bottlebrush-squirreltail — *Elymus elymoides*
 box elder — *Acer negundo*
 brass-button — *Cotula* spp.
 brittlebush — *Encelia* spp.
 broadbean — *Vicia faba*
 broccoli — *Brassica oleracea* var. *botrytis*
 brome — *Bromus* spp.
 field — *B. arvensis*
 mountain — *B. carinatus* subsp. *marginatus*
 smooth — *B. inermis* subsp. *inermis*

broomcorn — *Sorghum bicolor*
 browallia — *Browallia* spp.
 brussels-sprouts — *Brassica oleracea*
 var. *gemmifera*

buckeye, red — *Aesculus pavia*
 buckwheat — *Fagopyrum esculentum*
 buffalograss — *Bouteloua dactyloides*
 buffelgrass — *Cenchrus ciliaris*
 bugloss — *Anchusa* spp.
 cape — *A. capensis*
 Italian — *A. azurea*

bulrush — three genera
 Amphiscirpus spp.
 Bolboschoenus spp.
 Scirpus spp.

bundleflower, — *Desmanthus* spp.
 bundleflower, Illinois — *Desmanthus illinoensis*
 bupleurum, green-gold — *Bupleurum rotundifolium*
 burclover — *Medicago* spp.
 California — *M. polymorpha*
 spotted — *M. arabica*

burdock, great — *Arctium lappa*
 burnet, little — *Sanguisorba minor*
 bursage — *Ambrosia* spp.
 bush violet — *Browallia* spp.
 buttercup, western — *Ranunculus occidentalis*
 butterfly flower — *Schizanthus* spp.
 butterfly-weed — *Asclepias tuberosa*
 buttonclover — *Medicago orbicularis*
 cabbage — *Brassica oleracea* var. *capitata*
 Chinese — *B. rapa* subsp. *pekinensis*
 tronchuda — *B. oleracea* var. *costata*
 cabbage, ornamental — *Brassica oleracea*

Volume 1. Principles and Procedures

COMMON NAME – SCIENTIFIC NAME

var. *sabellica*
 cactus — *Cactaceae*
 cactus, barrel — *Ferocactus wislizeni*
 cactus, saguaro — *Carnegiea gigantea*
 calceolaria — *Calceolaria* spp.
 calendula — *Calendula officinalis*
 California mustard — *Caulanthus* spp.
 California-poppy — *Eschscholzia californica*
 calliopsis — *Coreopsis basilis* and *C. tinctoria*
 camas, large — *Camassia leichtlinii*
 camelina — *Camelina sativa*
 canarygrass — *Phalaris canariensis*
 canarygrass, reed — *Phalaris arundinacea*
 candytuft — *Iberis* spp.
 annual — *I. amara*, *I. umbellata*
 iberis — *I. sempervirens*
 perennial — *I. gibraltarica*
 cantaloupe — *Cucumis melo*
 Cape plumbago — *Plumbago auriculata*
 caraway — *Carum carvi*
 cardinal climber — *Ipomoea sloteri*
 cardoon — *Cynara cardunculus*
 carnation — *Dianthus caryophyllus*
 carpetgrass — *Axonopus fissifolius*
 carrot — *Daucus carota* subsp. *sativus*
 castorbean — *Ricinus communis*
 catalpa — *Catalpa* spp.
 northern — *C. speciosa*
 southern — *C. bignonioides*
 catchfly, sweet-William — *Silene armeria*
 catnip — *Nepeta cataria*
 Caucasian leopardbane — *Doronicum orientale*
 cauliflower — *Brassica oleracea* var. *botrytis*
 ceanothus — *Ceanothus* spp.
 cedar — five genera
 Alaska — *Cupressus nootkatensis*
 Atlas — *Cedrus atlantica*
 deodar — *Cedrus deodara*
 incense — *Calocedrus decurrens*
 northern white — *Thuja occidentalis*
 Port Orford — *Chamaecyparis lawsoniana*
 western red — *Thuja plicata*
 cedar-of-Lebanon — *Cedrus libani*
 celeriac — *Apium graveolens* var. *rapaceum*
 celery — *Apium graveolens* var. *dulce*
 celosia — *Celosia* spp.
 centaurea — *Centaurea* spp.
 royal — *C. imperialis*
 velvet — *C. gymnocarpa*
 cerastium — *Cerastium tomentosum*
 chamise — *Adenostoma* spp.
 chamomile, golden — *Cota tinctoria*
 chamomile, St. Johns — *A. sancti-johannis*
 chard, Swiss — *Beta vulgaris* subsp. *vulgaris*

COMMON NAME – SCIENTIFIC NAME

checkerbloom, dwarf — *Sidalcea malviflora*
 cherry — *Prunus avium*
 chervil — *Anthriscus cerefolium*
 chess, soft — *Bromus hordeaceus*
 chickpea — *Cicer arietinum*
 chicory — *Cichorium intybus*
 China-aster — *Callistephus chinensis*
 Chinese cabbage — *Brassica rapa* subsp. *pekinensis*
 Chinese forget-me-not — *Cynoglossum amabile*
 Chinese-houses — *Collinsia heterophylla*
 Chinese lanternplant — *Physalis alkekengi*
 chives — *Allium schoenoprasum*
 chokecherry — *Prunus* spp.
 chrysanthemum, annual — *Glebionis* spp.
 chrysanthemum, Canary Island —
 Tanacetum ptarmiciflorum
 chrysanthemum, edible — *Glebionis coronaria*
 chrysanthemum, max — *Leucanthemum maximum*
 cinquefoil — *Drymocallis* spp.
 cinquefoil, slender — *Potentilla gracilis*
 cineraria, common — *Pericallis cruenta*
 citron — *Citrullus amarus*
 clammy campion — *Silene viscaria*
 clarkia — *Clarkia unguiculata*
 clarkia, Botta's — *Clarkia bottae*
 clarkia, winecup — *Clarkia purpurea*
 cleome — *Tarenaya hassleriana*
 cliff-rose — *Purshia mexicana* var. *mexicana*
 clockvine — *Thunbergia alata*
 clover — three genera
 alsike — *Trifolium hybridum*
 arrowleaf — *Trifolium vesiculosum*
 berseem — *Trifolium alexandrinum*
 bur, California — *Medicago polymorpha*
 bur, spotted — *M. arabica*
 cluster — *Trifolium glomeratum*
 crimson — *T. incarnatum*
 Kenya — *T. semipilosum*
 ladino — *T. repens*
 lappa — *T. lappaceum*
 large hop — *T. campestre*
 Persian — *T. resupinatum*
 red — *T. pratense*
 rose — *T. hirtum*
 small hop or suckling — *T. dubium*
 sour — *Melilotus indicus*
 strawberry — *Trifolium fragiferum*
 sub or subterranean — *T. subterraneum*
 sweet, white — *Melilotus albus*
 sweet, yellow — *M. officinalis*
 white — *Trifolium repens*
 cockscomb — *Celosia* spp.
 coleus, common — *Plectranthus scutellarioides*
 collards — *Brassica oleracea* var. *viridis*

AOSA Rules for Testing Seeds

COMMON NAME – SCIENTIFIC NAME

collomia, grand — *Collomia grandifolora*
 columbine — *Aquilegia* spp.
 columbine, alpine — *Aquilegia alpina*
 coneflower — three genera
 — *Echinacea* spp.
 Persian — *Psephellus dealbatus*
 — *Ratibida* spp.
 coralbells — *Heuchera sanguinea*
 cordgrass — *Spartina* spp.
 cordyline — *Cordyline australis*
 coreopsis, perennial — *Coreopsis lanceolata*
 coriander — *Coriandrum sativum*
 corn, field and pop — *Zea mays* subsp. *mays*
 corn, ornamental — *Zea mays* subsp. *mays*
 corn, sweet — *Zea mays* subsp. *mays*
 cornflower — *Centaurea cyanus*
 cornsalad — *Valerianella* spp.
 cosmos — *Cosmos* spp.
 crested — *C. bipinnatus*
 klondyke — *C. sulphureus*
 mammoth — *C. bipinnatus*
 sensation — *C. bipinnatus*
 cotoneaster — *Cotoneaster* spp.
 cotton — *Gossypium* spp.
 cow-cockle — *Vaccaria hispanica*
 cowpea — *Vigna unguiculata* subsp. *unguiculata*
 crabapple — *Malus* spp.
 crabgrass — *Digitaria* spp.
 crambe — *Crambe hispanica* subsp. *abyssinica*
 creosotebush — *Larrea* spp.
 cress — three genera
 garden — *Lepidium sativum*
 upland — *Barbarea verna*
 water — *Nasturtium officinale*
 crossandra — *Crossandra infundibuliformis*
 crotalaria — *Crotalaria* spp.
 lanceleaf — *C. lanceolata*
 showy — *C. spectabilis*
 slenderleaf — *C. brevidens* var. *intermedia*
 smooth — *C. pallida*
 sunn — *C. juncea*
 crownvetch — *Securigera varia*
 cucumber — *Cucumis sativus*
 cumin — *Cuminum cyminum*
 cup and saucer — *Campanula medium*
 cupflower — *Nierembergia* spp.
 cupid's dart — *Catananche caerulea*
 curly-mesquite — *Hilaria* spp.
 cyclamen — *Cyclamen africanum*
 cypress, Arizona — *Cupressus arizonica*
 cypressvine — *Ipomoea quamoclit*
 dahlia — *Dahlia* spp.
 daisy — eleven genera
 African — *Dimorphotheca sinuata*

COMMON NAME – SCIENTIFIC NAME

African lilac — *Arctotis venusta*
 Cape — *Arctotis fastuosa*
 crown — *Glebionis coronaria*
 dwarf — *Mauranthemum paludosum*
 English — *Bellis perennis*
 livingstone — *Cleretum bellidiforme*
 monarch — *Arctotis fastuosa*
 painted — *Tanacetum* spp.
 Swan River — *Brachycome iberidifolia*
 Tahoka — *Machaeranthera tanacetifolia*
 tidytips — *Layia platyglossa*
 transvaal — *Gerbera jamesonii*
 dallisgrass — *Paspalum dilatatum*
 dame's-rocket — *Hesperis matronalis*
 dandelion — *Taraxacum officinale*
 deervetch — *Aeschynomene americana*
 delphinium — two genera
 ajacis — *Consolida ajacis*
 perennial — *Delphinium cardinale*
 Pacific giant and others — *D. elatum*
 desert lavender — *Condea* spp.
 desertwillow — *Chilopsis* spp.
 devil's-claw — *Proboscidea louisianica*
 dichondra — *Dichondra repens*
 dill — *Anethum graveolens*
 dittany — *Dictamnus albus*
 dogtail, crested — *Cynosurus cristatus*
 dogwood — *Cornus* spp.
 flowering — *C. florida*
 red-osier — *C. sericea* subsp. *sericea*
 downingia — *Downingia* spp.
 dracaena — *Cordyline australis*
 dragonhead — *Dracocephalum* spp.
 dropseed — *Sporobolus* spp.
 sand — *Sporobolus cryptandrus*
 dusty-maiden — *Chaenactis* spp.
 dusty-miller — *Centaurea cineraria*
 echinacea — *Echinacea* spp.
 edelweiss — *Leontopodium nivale*
 eggplant — *Solanum melongena*
 elm — *Ulmus* spp.
 American — *U. americana*
 Chinese — *U. parvifolia*
 Siberian — *U. pumila*
 emmer — *Triticum turgidum* (See *T. aestivum*)
 endive — *Cichorium endiva*
 English daisy — *Bellis perennis*
 ephedra, Nevada — *Ephedra nevadensis*
 eryngo — *Eryngium* spp.
 euphorbia, painted — *Euphorbia heterophylla*
 eustoma — *Eustoma exaltatum* subsp. *russellianum*
 everlasting-pea — *Lathyrus latifolius*
 fairy-duster — *Calliandra* spp.
 falseflax, bigseed — *Camelina sativa*

Volume 1. Principles and Procedures

COMMON NAME – SCIENTIFIC NAME

false indigo — *Baptisia* spp.
 fennel — *Foeniculum vulgare*
 fescue — two genera
 chewings — *F. rubra* subsp. *commutata*
 hair — *F. trachyphylla*
 hard — *F. trachyphylla*
 meadow — *F. pratensis*
 red and creeping red — *F. rubra* subsp. *rubra*
 Roemer's — *F. roemeri*
 sheep — *F. ovina*
 small — *Vulpia* spp.
 tall — *F. arundinacea*
 fiddleneck — *Amsinckia* spp.
 filaree — *Erodium* spp.

fir — two genera
 balsam — *Abies balsamea*
 blue Douglas — *Pseudotsuga menziesii* var. *glauca*
 California red — *A. magnifica*
 Fraser — *Abies fraseri*
 grand — *A. grandis*
 green Douglas — *Pseudotsuga menziesii* var. *menziesii*
 grey Douglas — *Pseudotsuga menziesii* var. *caesia*
 Nikko — *Abies homolepis*
 noble — *A. procera*
 Pacific silver — *A. amabilis*
 Shasta red — *A. ×shastensis*
 subalpine — *A. lasiocarpa*
 Veitch — *A. veitchii*
 white — *A. concolor*
 fireweed — two genera
 — *Chamaenerion* spp.
 — *Epilobium* spp.
 flame-violet — *Episcia* spp.
 flat-pea — *Lathyrus sylvestris*
 flax — *Linum* spp.
 blue — *L. perenne*
 flowering — *L. grandiflorum*
 golden — *L. flavum*
 Lewis — *L. lewisii*
 perennial — *L. perenne*
 flax — *Linum usitatissimum*
 fleabane — *Erigeron* spp.
 fleece flower — *Persicaria capitata*
 forget-me-not — three genera
 Chinese — *Cynoglossum amabile*
 dwarf — *Brunnera macrophylla*
 garden — *Myosotis* spp.
 fountain-dracaena — *Cordyline australis*
 four-o'clock — *Mirabilis* spp.
 foxglove — *Digitalis* spp.
 foxtail — *Alopecurus* spp.
 creeping — *A. arundinaceus*

COMMON NAME – SCIENTIFIC NAME

meadow — *A. pratensis*
 fuschia — *Fuschia* spp.
 gaillardia, annual — *Gaillardia pulchella* var. *picta*
 gaillardia, perennial — *G. aristata*
 galleta grass — *Pleuraphis jamesii*
 gamagrass, Eastern — *Tripsacum dactyloides*
 garland — *Glebionis coronaria*
 gasplant — *Dictamnus albus*
 gaura — *Oenothera* spp.
 gayfeather — *Liatris* spp.
 gazania, pied — *Gazania rigens*
 gentian — *Eustoma* spp.
 prairie — *Eustoma exaltatum* subsp. *russellianum*
 tulip — *Eustoma exaltatum* subsp. *russellianum*
 geranium — two genera
 — *Geranium* spp.
 — *Pelargonium* spp.
 geum — *Geum* spp.
 gilia — *Gilia* spp.
 gladiolus — *Gladiolus* spp.
 globe amaranth — *Gomphrena globosa*
 globemallow — *Sphaeralcea* spp.
 globethistle, small — *Echinops ritro*
 gloxinia, common — *Sinningia speciosa*
 godetia — *Clarkia concinna*
 — *C. bottae*
 godetia, punch-bowl — *Clarkia bottae*
 golden alexanders — *Zizia* spp.
 goldenbush — two genera
 — *Hazardia* spp.
 — *Isocoma* spp.
 golden flax — *Linum flavum*
 golden-hardhack — *Dasiphora* spp.
 goldenrod — *Solidago* spp.
 goldenrod, anise-scent — *Solidago odora*
 goldfields — *Lasthenia* spp.
 goldfields, California — *Lasthenia californica*
 gold-moss sedum — *Sedum acre*
 goosefoot — *Blitum* spp.
 gourds — two genera
 — *Cucurbita* spp.
 — *Lagenaria* spp.
 grama — *Bouteloua* spp.
 blue — *B. gracilis*
 side-oats — *B. curtipendula*
 grape, riverbank — *Vitis vulpina*
 guar — *Cyamopsis tetragonoloba*
 guineagrass — *Megathyrsus maximus*
 gum — *Eucalyptus* spp.
 Mindanao — *E. deglupta*
 rose — *E. grandis*
 gumplant, Puget Sound — *Grindelia integrifolia*
 gumweed — *Grindelia* spp.
 gumweed, Willamette — *Grindelia integrifolia*

AOSA Rules for Testing Seeds

COMMON NAME – SCIENTIFIC NAME

hackberry — *Celtis* spp.
 hairgrass — *Deschampsia* spp.
 hairgrass, tufted — *Deschampsia cespitosa*
 hardinggrass — *Phalaris aquatica*
 hawthorn, downy — *Crataegus mollis*
 hearts and honey vine — *Ipomoea sloteri*
 heartseed — *Cardiospermum halicacabum*
 helenium — *Helenium* spp.
 helichrysum — *Xerochrysum bracteatum*
 heliopsis — *Heliopsis* spp.
 heliotrope — *Heliotropium* spp.
 helipterum — *Rhodanthe chlorocephala* subsp. *rosea*
 hemlock — *Tsuga* spp.
 eastern or Canada — *T. canadensis*
 western or Pacific — *T. heterophylla*
 hemp, industrial — *Cannabis sativa*
 hen-and-chickens — *Sempervivum* spp.
 herb treemallow — *Lavatera trimestris*
 hibiscus — *Hibiscus* spp.
 hickory, shagbark — *Carya ovata*
 hilaria — *Hilaria* spp.
 hoarycress — *Lepidium* spp.
 hollyhock — *Alcea rosea*
 honesty — *Lunaria annua*
 horkelia — *Horkelia* spp.
 husk tomato — *Physalis pubescens*
 hyacinth bean — *Lablab purpureus* subsp. *purpureus*
 hyssop — *Agastache* spp.
 iceplant — *Cleretum bellidiforme*
 impatiens — *Impatiens walleriana*
 indiagrass — *Sorghastrum* spp.
 Indian paintbrush — *Castilleja* spp.
 indigo — three genera
 indigo — *Amorpha* spp.
 indigo bush — *Dalea* spp.
 indigo, hairy — *Indigofera hirsuta*
 iodine-bush — *Allenrolfea* spp.
 iris — *Iris* spp.
 Japanese — *Iris ensata*
 ivesia — *Ivesia* spp.
 Japanese lawngrass — *Zoysia japonica*
 Jerusalem-cross — *Silene chalconica*
 Job's-tears — *Coix lacryma-jobi*
 johnsongrass — *Sorghum halepense*
 jointvetch, American — *Aeschynomene americana*
 junegrass, prairie — *Koeleria macrantha*
 Jupiter's-beard — *Centranthus ruber*
 kalanchoe — *Kalanchoe blossfeldiana*
 kale — *Brassica oleracea* var. *viridis*
 kale, Chinese — *B. oleracea* var. *alboglabra*
 kale, ornamental — *B. oleracea* var. *sabellica*
 kale, Siberian — *B. napus* subsp. *napus* var. *pabularia*
 kenaf — *Hibiscus cannabinus*

COMMON NAME – SCIENTIFIC NAME

knapweed, big-head — *Centaurea macrocephala*
 kochia, forage — *Bassia prostrata*
 kohlrabi — *B. oleracea* var. *gongylodes*
 kudzu — *Pueraria montana* var. *lobata*
 laceflower, blue — *Trachymene coerulea*
 lamb's-ears — *Stachys byzantina*
 lantana — *Lantana camara*
 larch — *Larix* spp.
 Dunkeld — *L. ×marschlinii*
 European — *L. decidua*
 Japanese — *L. kaempferi*
 Siberian — *L. sibirica*
 western — *L. occidentalis*
 larkspur — two genera
 annual — *Consolida ajacis*
 cardinal — *Delphinium cardinale*
 rocket — *Consolida ajacis*
 lavender — *Lavandula angustifolia*
 leek — *Allium porrum*
 lemon mint — *Monarda citriodora*
 lentil — *Lens culinaris* subsp. *culinaris*
 lespedeza — two genera
 common or striate — *Kummerowia striata*
 Korean — *Kummerowia stipulacea*
 sericea or Chinese — *Lespedeza cuneata*
 Siberian — *Lespedeza juncea*
 lettuce — *Lactuca sativa*
 wild — *Lactuca* spp.
 licorice — *Glycyrrhiza* spp.
 ligustrum — *Ligustrum* spp.
 lilac, common — *Syringa vulgaris*
 lilac African -daisy — *Arctotis venusta*
 linaria — *Linaria* spp.
 lisianthus — *Eustoma exaltatum* subsp. *russellianum*
 livingstone daisy — *Cleretum bellidiforme*
 lobelia — *Lobelia* spp.
 locust — two genera
 black — *Robinia pseudoacacia*
 honey — *Gleditsia triacanthos*
 love-in-a-mist — *Nigella damascena*
 lovegrass — *Eragrostis* spp.
 sand — *E. trichodes*
 weeping — *E. curvula*
 lunaria — *Lunaria annua*
 lupine — *Lupinus* spp.
 arroyo — *L. succulentus*
 blue — *L. angustifolius*
 Pacific — *L. lepidus*
 Russell hybrids — *L. polyphyllus*
 white — *L. albus*
 wild — *L. perennis*
 yellow — *L. luteus*
 madia — *Madia* spp.
 madia, common — *Madia elegans*

Volume 1. Principles and Procedures

COMMON NAME – SCIENTIFIC NAME

magnolia, southern — *Magnolia grandiflora*
 mallow — *Eremalche* spp.
 Maltese-cross — *Silene chalcidonica*
 mangel — *Beta vulgaris* subsp. *vulgaris*
 manilagrass — *Zoysia matrella*
 mannagrass — *Glyceria* spp.
 manzanita — *Arctostaphylos* spp.
 maple — *Acer* spp.
 Amur — *A. tataricum* subsp. *grinnala*
 bigleaf — *A. macrophyllum*
 box elder — *A. negundo*
 mountain — *A. spicatum*
 negundo — *A. negundo*
 Norway — *A. platanoides*
 red — *A. rubrum*
 silver — *A. saccharinum*
 striped — *A. pensylvanicum*
 sugar — *A. saccharum*
 sycamore — *A. pseudoplatanus*
 marquerite, golden — *Cota tinctoria*
 marigold — *Tagetes* spp.
 African — *T. erecta*
 French — *T. patula*
 signet — *T. tenuifolia*
 marijuana — *Cannabis sativa*
 martynia — *Proboscidea louisianica*
 marvel-of-Peru — *Mirabilis jalapa*
 matricaria — *Matricaria* spp.
 mealy-cup sage — *Salvia farinacea*
 medic, black — *Medicago lupulina*
 melicgrass — *Melica* spp.
 Mexican firebush — *Bassia scoparia*
 Mexican hat — *Ratibida columnifera*
 Mexican tulip-poppy — *Hunnemannia fumariifolia*
 mignonette — *Reseda odorata*
 milkvetch, cicer — *Astragalus cicer*
 milkweed, butterfly — *Asclepias tuberosa*
 milkweed, swamp — *Asclepias incarnata*
 millet — five genera
 browntop — *Urochloa ramosa*
 Italian — *Setaria italica* subsp. *italica*
 Japanese — *Echinochloa frumentacea*
 pearl — *Cenchrus americanus*
 proso — *Panicum miliaceum* subsp. *miliaceum*
 mock parsley — *Apiastrum* spp.
 molassesgrass — *Melinis minutiflora*
 monarch-daisy — *Arctotis fastuosa*
 moneyplant — *Lunaria annua*
 monkshood — *Aconitum delphiniifolium*
 monkshood, garden — *Aconitum napellus*
 moonflower — *Ipomoea alba*
 morning-glory — *Ipomoea* spp.
 Mormon-tea — *Ephedra* spp.
 green — *E. viridis*

COMMON NAME – SCIENTIFIC NAME

Nevada — *E. nevadensis*
 mother-of-thyme — *Thymus serpyllum*
 mountain-bluet — *Centaurea montana*
 mountain-mahogany — *Cercocarpus* spp.
 curleaf mountain-mahogany — *C. ledifolius*
 true mountain-mahogany — *C. montanus*
 mourning-bride, annual — *Scabiosa atropurpurea*
 muhly — *Muhlenbergia* spp.
 mule-fat — *Baccharis* spp.
 mullein-pink — *Silene coronaria*
 muskmelon — *Cucumis melo*
 mustard — two genera
 black — *B. nigra*
 India — *B. juncea*
 spinach — *B. rapa* subsp. *nipposinica* var.
 perviridis
 white — *Sinapis alba*
 myosotis — *Myosotis scorpioides*
 napiergrass — *Cenchrus purpureus*
 nasturtium — *Tropaeolum* spp.
 needle-and-thread — *Hesperostipa comata*
 needlegrass — two genera
 Lemmon's — *Achnatherum lemmonii*
 Thurber — *Achnatherum thurberianum*
 green — *Nasella viridula*
 nemesia — *Nemesia* spp.
 nemophilia — *Nemophila* spp.
 — *N. maculata*, *N. menziesii*
 spotted — *N. maculata*
 nicotiana — *Nicotiana* spp.
 nierembergia — *Nierembergia* spp.
 nigella — *Nigella damascena*
 oak — *Quercus* spp.
 black — *Quercus* spp.
 chinkapin — *Q. muehlenbergii*
 live — *Q. virginiana*
 red — *Quercus* spp.
 white — *Q. alba*
 oatgrass, California — *Danthonia californica*
 oatgrass, tall — *Arrhenatherum elatius*
 oat — *Avena sativa*
 ocean-spray — *Holodiscus* spp.
 okra — *Abelmoschus esculentus*
 onion — *Allium cepa*
 onion, Welsh — *Allium fistulosum*
 orchardgrass — *Dactylis glomerata*
 Oregon fleabane — *Erigeron speciosus*
 Oregano — *Origanum vulgare*
 Ozark sundrops — *Oenothera macrocarpa*
 paintbrush — *Castilleja* spp.
 painted daisy — *Tanacetum* spp.
 painted-tongue — *Salpiglossis sinuata*
 pak-choi — *Brassica rapa* subsp. *chinensis*
 pampas grass — *Cortaderia* spp.

AOSA Rules for Testing Seeds

COMMON NAME – SCIENTIFIC NAME

panicgrass — *Panicum* spp.
 beaked — *P. anceps*
 blue — *P. antidotale*
 green — *Megathyrsus maximus*
 panicum — *Coleataenia* spp.
 pansy — *Viola tricolor*
 parsley — *Petroselinum crispum*
 parsnip — *Pastinaca sativa*
 paspalum — *Paspalum* spp.
 pea — three genera
 field — *Pisum sativum* subsp. *sativum* var. *arvense*
 garden — *P. sativum* subsp. *sativum* var. *sativum*
 partridge — *Chamaecrista fasciculata*
 southern — *Vigna unguiculata* subsp. *unguiculata*
 peach — *Prunus persica*
 peachthorn — *Lycium* spp.
 peanut — *Arachis hypogaea*
 pear — *Pyrus communis*
 pearlwort — *Sagina subulata*
 pearly everlasting — *Anaphalis margaritacea*
 peashrub — *Caragana* spp.
 pecan — *Carya illinoensis*
 penstemon — *Penstemon* spp.
 firecracker — *P. eatonii*
 Palmer — *P. palmeri*
 Penland's — *P. penlandii*
 Rocky Mountain — *P. strictus*
 pepper — *Capsicum* spp.
 pepper, Habanero — *Capsicum chinense*
 peppergrass — *Lepidium* spp.
 peppergrass — *Lepidium* spp.
 peppermint — *Mentha x piperita*
 pepper, ornamental — *Capsicum* spp.
 periwinkle, rose — *Catharanthus roseus*
 pe-tsai — *Brassica rapa* subsp. *pekinensis*
 petunia — *Petunia* spp.
 phacelia — *Phacelia* spp.
 phlox — *Phlox* spp.
 physalis — *Physalis* spp.
 pied gazania — *Gazania rigens*
 pine — *Pinus* spp.
 Aleppo — *P. halepensis*
 Austrian — *P. nigra* subsp. *nigra*
 bigcone — *P. coulteri*
 bishop — *P. muricata*
 Bosnian — *P. heldreichii*
 bristlecone — *P. aristata*
 Canary Island — *P. canariensis*
 Caribbean — *P. caribaea*
 cluster — *P. pinaster*
 Corsican — *P. nigra* subsp. *laricio*
 coulter — *P. coulteri*
 eastern white — *P. strobus*
 Formosa — *P. luchuensis*

COMMON NAME – SCIENTIFIC NAME

Himalayan — *P. wallichiana*
 Italian stone — *P. pinea*
 jack — *P. banksiana*
 Japanese black — *P. thunbergii*
 Japanese red — *P. densiflora*
 Japanese white — *P. parviflora*
 Jeffrey — *P. jeffreyi*
 Jelecote — *P. patula*
 Khasia — *P. kesiya*
 limber — *P. flexilis*
 loblolly — *P. taeda*
 lodgepole — *P. contorta*
 longleaf — *P. palustris*
 Merkus — *P. merkusii*
 Mexican pinyon — *P. cembroides*
 Monterey — *P. radiata*
 Mugo Swiss mountain — *P. mugo* var. *mughus*
 Norway — *P. resinosa*
 pitch — *P. rigida*
 pond — *P. serotina*
 ponderosa — *P. ponderosa*
 red — *P. resinosa*
 sand — *P. clausa*
 Scotch — *P. sylvestris*
 Scots — *P. sylvestris*
 scrub — *P. virginiana*
 shore — *P. contorta*
 shortleaf — *P. echinata*
 slash — *P. elliotii*
 spruce — *P. glabra*
 sugar — *P. lambertiana*
 Swiss mountain — *P. mugo* var. *mugo*
 Swiss stone — *P. cembra*
 Virginia — *P. virginiana*
 western white — *P. monticola*
 western yellow — *P. ponderosa*
 whitebark — *P. albicaulis*
 pine-dropseed — *Blepharoneuron* spp.
 pinks — *Dianthus* spp.
 China — *D. chinensis*
 grass — *D. plumarius*
 maiden — *D. deltoides*
 plant, polka-dot — *Hypoestes phyllostachya*
 plum (prune) — *Prunus domestica*
 polyanthus — *Primula x polyantha*
 poor-man's orchid — *Schizanthus* spp.
 poppy — four genera
 California — *Eschscholzia californica*
 corn or shirley — *Papaver rhoeas*
 desert — *Kallstroemia* spp.
 gold — *Eschscholzia* spp.
 Iceland — *P. nudicaule*
 Mexican tulip — *Hunnemannia fumariifolia*
 Oriental — *Papaver orientale*

Volume 1. Principles and Procedures

COMMON NAME – SCIENTIFIC NAME

tulip — *P. glaucum*
 popular — *Populus* spp.
 porcupine grass — *Hesperopstipa* spp.
 portulaca — *Portulaca grandiflora*
 pot marigold — *Calendula officianalis*
 povertyweed — *Iva* spp.
 prairieclover — *Dalea* spp.
 prairieclover, purple — *Dalea purpurea*
 prairie coneflower — see Mexican hat
 prairie-dog-weed — *Dyssodia* spp.
 pricklypoppy — *Argemone* spp.
 primrose — four genera
 — *Chylismia* spp.
 — *Primula* spp.
 beach evening — *Camissoniopsis cheiranthifolia*
 evening — *Oenothera argillicola*
 — *O. biennis*
 jasmine — *O. pallida*
 Missouri — *O. macrocarpa*
 pale evening — *O. pallida*
 pumpkin — *Cucurbita pepo*, *C. maxima*
 and *C. moschata*
 purple coneflower — *Echinacea purpurea*
 purple loosestrife — *Lythrum salicaria*
 pyrethrum — *Tanacetum* spp.
 Queen Anne's-lace — *Daucus carota* subsp. *carota*
 rabbitbrush — *Chrysothamnus* spp.
 rabbit-tobacco — *Pseudognaphalium* spp.
 radish — *Raphanus sativus*
 ragweed — *Ambrosia* spp.
 ranunculus — *Ranunculus* spp.
 rape — *Brassica* spp.
 annual — *B. napus* var. *napus*
 turnip, annual or bird — *B. rapa*
 turnip, biennial — *B. rapa*
 winter — *B. napus* var. *napus*
 redbud — *Cercis* spp.
 red-maids — *Calandrinia* spp.
 redstem — *Ammannia* spp.
 redtop — *Agrostis gigantea*
 redwood — *Sequoia sempervirens*
 reed canarygrass — *Phalaris arundinacea*
 reedgrass — *Calamagrostis* spp.
 regal lily — *Lilium regale*
 rescuegrass — *Bromus catharticus*
 rhodesgrass — *Chloris gayana*
 rhododendron — *Rhododendron* spp.
 rhubarb — *Rheum x̄rhabarbarum*
 rice — *Oryza sativa*
 ricegrass, Indian — *Achnatherum hymenoides*
 rockcress — *Arabis alpina*
 rockcress, purple — *Aubrietia deltoidea*
 rocketsalad — *Eruca vesicaria* subsp. *sativa*
 rock rose — *Helianthemum nummularium*

COMMON NAME – SCIENTIFIC NAME

rocket — *Eruca vesicaria* subsp. *sativa*
 rose campion — *Silene coronaria*
 rose, multiflora — *Rosa multiflora*
 rose-of-heaven — *Silene coeli-rosa*
 rosemary — *Rosmarinus officinalis*
 rough-pea — *Lathyrus hirsutus*
 rubber rabbitbrush — *Ericameria nauseosa*
 rutabaga — *Brassica napus* subsp. *rapifera*
 rye — *Secale cereale* subsp. *cereale*
 rye, mountain — *S. strictum* subsp. *strictum*
 ryegrass — *Lolium* spp.
 annual or Italian — *L. multiflorum*
 intermediate — *L. x hybridum*
 perennial — *L. perenne*
 safflower — *Carthamus tinctorius*
 sage — *Salvia officinalis*
 sage — *Salvia* spp.
 mealy-cup — *S. farinacea*
 scarlet — *S. splendens*
 Texas — *S. coccinea*
 sagebrush — *Artemisia* spp.
 big — *A. tridentata*
 black — *A. nova*
 sagewort, Louisiana — *Artemisia ludoviciana*
 saguaro cactus — *Carnegiea gigantea*
 sainfoin — *Onobrychis viciifolia*
 salpiglossis — *Salpiglossis* spp.
 salsify — *Tragopogon porrifolius*
 saltbush, fourwing — *Atriplex canescens*
 saltgrass — *Distichlis* spp.
 sand dropseed — *Sporobolus cryptandrus*
 sandreed — *Calamovilfa* spp.
 sandverbena — *Abronia* spp.
 saponaria, rock — *Saponaria ocymoides*
 savory, summer — *Satureja hortensis*
 scabiosa, perennial — *Lomelosia caucasica*
 scarlet runner bean — *Phaseolus coccineus*
 scarlet sage — *Salvia splendens*
 schizanthus — *Schizanthus* spp.
 scorpionweed — *Phacelia* spp.
 scratch grass — *Muhlenbergia* spp.
 seablush, shortspur — *Plectritis congesta*
 sea rocket — *Cakile* spp.
 sedge — *Carex* spp.
 selfheal, lance — *Prunella vulgaris*
 sensitive plant — *Mimosa pudica*
 sequoia, giant — *Sequoiadendron giganteum*
 serviceberry, Saskatoon — *Amelanchier alnifolia*
 sesame — *Sesamum indicum*
 sesbania — *Sesbania exaltata*
 shamrock, Irish — *Trifolium dubium*
 showy goldeneye — *Heliomeris multiflora*
 silky-oak — *Grevillea robusta*
 silverpuffs, cutleaf — *Microseris laciniata*

AOSA Rules for Testing Seeds

COMMON NAME – SCIENTIFIC NAME

sloughgrass — *Beckmannia* spp.
 smartweed — *Persicaria* spp.
 smilgrass — *Oloptum miliaceum*
 snake's-head — *Malacothrix* spp.
 snakeweed — *Gutierrezia* spp.
 snapdragon — *Antirrhinum* spp.
 sneezeweed — *Helenium* spp.
 snow-in-summer — *Cerastium tomentosum*
 snow-on-the-mountain — *Euphorbia marginata*
 soapwort, rock — *Saponaria ocymoides*
 solanum — *Solanum* spp.
 sorghum — *Sorghum* spp.
 alum — *S. xalmum*
 broomcorn — *S. bicolor*
 forage — *S. bicolor*
 grain — *S. bicolor*
 sweet — *S. bicolor*
 sorghum-sudangrass — *S. xibicolor* nothosubsp. *drummondii*
 sorgrass — *Sorghum* 'Sorghass'
 sorrel — *Rumex acetosa*
 sotol — *Dasyilirion* spp.
 soybean — *Glycine max*
 Spanish-flag — *Ipomoea lobata*
 speedwell
 garden — *Veronica longifolia*
 Hungarian — *Veronica austriaca*
 spike — *Veronica spicata*
 spelt — *Triticum aestivum* subsp. *spelta*
 spiderflower — *Tarenaya hassleriana*
 spikerush — *Eleocharis* spp.
 spinach — *Spinacia oleracea*
 spinach, New Zealand — *Tetragonia tetragonoides*
 spotted burclover — *Medicago arabica*
 sprangletop — *Disakisperma* spp.
 spring-parsley — *Cymopterus* spp.
 spruce — *Picea* spp.
 Alberta white — *P. glauca* var. *albertiana*
 black — *P. mariana*
 Black Hills — *P. glauca* 'Densata'
 blue — *P. pungens*
 Colorado blue — *P. pungens*
 Engelmann — *P. engelmannii*
 Koyama — *P. koyamai*
 Norway — *P. abies*
 Oriental — *P. orientalis*
 red — *P. rubens*
 Sakhalin — *P. glehnii*
 Serbian — *P. omorika*
 Sitka — *P. sitchensis*
 tigertail — *P. polita*
 western white — *P. glauca*
 white — *P. glauca*
 yeddo — *P. jezoensis*

COMMON NAME – SCIENTIFIC NAME

spurge — *Euphorbia* spp.
 squash — *Cucurbita pepo*, *C. maxima*
 and *C. moschata*
 statice — *Limonium sinuatum*
 — *Psylliostachys suworowii*
 sticktight — *Bidens* spp.
 stocks — two genera
 common — *Matthiola incana*
 evening-scented — *M. longipetala* subsp. *bicornis*
 Virginia — *Malcolmia maritima*
 strawflower — *Xerochrysum bracteatum*
 sudangrass — *S. xibicolor* nothosubsp. *drummondii*
 summer cypress — *Bassia scoparia*
 sunflower — *Helianthus annuus*
 — *Helianthus* spp.
 sunflower, common woolly — *Eriophyllum lanatum*
 sunflower inula — *Inula orientalis*
 sunflower, Maximilian's — *Helianthus maximiliani*
 Swan River daisy — *Brachycome iberidifolia*
 sweet alyssum — *Lobularia maritima*
 sweetbush — *Bebbia* spp.
 sweetclover — *Melilotus* spp.
 white — *M. albus*
 yellow — *officinalis*
 sweetgum — *Liquidambar styraciflua*
 sweet marjoram — *Origanum majorana*
 sweet-pea, annual — *Lathyrus odoratus*
 sweet rocket — *Hesperis matronalis*
 sweet sultan — *Amberboa moschata*
 sweetvetch, northern — *Hedysarum boreale* var. *boreale*
 sweet-william — *Dianthus barbatus*
 sweet wivelsfield — *Dianthus xallwoodii*
 Swiss chard — *Beta vulgaris* subsp. *vulgaris*
 switchgrass — *Panicum virgatum*
 sycamore, American — *Platanus occidentalis*
 Tahoka daisy — *Machaeranthera tanacetifolia*
 tanglehead — *Heteropogon* spp.
 tansy — *Tanacetum vulgare*
 tarweed — two genera
 — *Deinandra* spp.
 — *Grindelia* spp.
 tea, green Mormon — *Ephedra viridis*
 teff — *Eragrostis tef*
 Texas bluebonnet — *Lupinus subcarnosus*
 the pearl — *Achillea ptarmica*
 threeawn, pineland — *Aristida stricta*
 thunbergia, clockvine — *Thunbergia alata*
 thyme — *Thymus vulgaris*
 tickclover — *Desmodium* spp.
 tick-trefoil — *Desmodium* spp.
 tidytips daisy — *Layia platyglossa*
 tiger monkeyflower — *Mimulus xhybridus*

Volume 1. Principles and Procedures

COMMON NAME – SCIENTIFIC NAME

timothy — *Phleum pratense*
 tithonia — *Tithonia rotundifolia*
 tobacco — *Nicotiana tabacum*
 flowering — *N. alata*
 Jasmine — *N. alata*
 tobosagrass — *Pleuraphis* spp.
 tomato — *Solanum lycopersicum* var. *lycopersicum*
 torch flower — *Tithonia rotundifolia*
 torchlily — *Kniphofia* spp.
 transvaal-daisy — *Gerbera jamesonii*
 treacle — *Erysimum* spp.
 tree-of-heaven — *Ailanthus altissima*
 trefoil — *Lotus* spp.
 big — *L. uliginosus*
 birdsfoot — *L. corniculatus*
 triticale — \times *Triticosecale*
 tritoma — *Kniphofia* spp.
 tulip-poplar — *Liriodendron tulipifera*
 tupelo — *Nyssa* spp.
 black — *N. sylvatica*
 water — *N. aquatica*
 turnip — *Brassica rapa*
 unicorn-plant — *Proboscidea louisianica*
 vaseygrass — *Paspalum urvillei*
 veldtgrass, perennial — *Ehrharta calycina*
 velvetbean — *Mucuna pruriens* var. *utilis*
 velvetgrass — *Holcus lanatus*
 verbena — *Glandularia* \times *hybrida*
 vernalgrass, sweet — *Anthoxanthum odoratum*
 vervain — *Verbena* spp.
 vetch — *Vicia* spp.
 blackpod — *V. sativa* subsp. *nigra*
 common — *V. sativa* subsp. *sativa*
 hairy — *V. villosa* subsp. *villosa*
 Hungarian — *V. pannonica*
 monantha — *V. articulata*
 purple — *V. benghalensis*
 winter — *V. villosa* subsp. *varia*
 vinca — *Catharanthus roseus*
 viola — *Viola cornuta*
 violet, German — *Exacum affine*
 wallflower — *Erysimum cheiri*
 — *E. hieracifolium*
 watercress — *Nasturtium officinale*
 water-hemlock — *Cicuta* spp.
 watermelon — *Citrullus lanatus* subsp. *lanatus*
 wheat — *Triticum* spp.
 common — *T. aestivum*
 durum — *T. turgidum* subsp. *durum*
 emmer — *T. turgidum* subsp. *dicoccon*
 spelt — *T. aestivum* subsp. *spelta*
 wheatgrass — six genera
 annual — *Eremopyrum* spp.
 beardless — *Pseudoroegneria spicata*

COMMON NAME – SCIENTIFIC NAME

crested, fairway — *Agropyron cristatum*
 crested, standard — *Agropyron desertorum*
 intermediate — *Thinopyrum intermedium* subsp.
 intermedium
 pubescent — *Thinopyrum intermedium* subsp.
 barbulatum
 slender — *Elymus trachycaulus* subsp.
 trachycaulus
 Snake River — *Elymus wawawaiensis*
 tall — *Thinopyrum ponticum*
 tufted — *Elymus macrourus*
 western — *Pascopyrum smithii*
 whispering-bells — *Emmenanthe* spp.
 whitetop — *Doellingeria* spp.
 whorlgrass — *Catabrosa* spp.
 wildrye — three genera
 basin — *Leymus cinereus*
 Canada — *Elymus canadensis*
 Russian — *Psathyrostachys juncea*
 Virginia — *Elymus virginicus*
 willowherb — *Epilobium* spp.
 willowleaf oxeye — *Buphthalmum salicifolium*
 windmills — *Allionia* spp.
 winterfat — *Krascheninnikovia lanata*
 wool-grass — *Scirpus cyperinus*
 wooly marigold — *Baileya multiradiata*
 wormwood — *Artemisia* spp.
 yampah, Oregon — *Perideridia oregana*
 yard-long bean — *Vigna unguiculata*
 subsp. *unguiculata*
 yarrow, common — *Achillea millefolium*
 yellow-poplar — *Liriodendron tulipifera*
 yerba-mansa — *Anemopsis* spp.
 yucca — *Yucca* spp.
 zinnia — two genera
 common — *Zinnia elegans*
 Mexican — *Zinnia haageana*
 Mexican-creeping — *Sanvitalia procumbens*