

1. Silene latifolia white cockle

When found in a sample of alfalfa it is:

- 2. a. weed seed
 - b. crop seed
 - c. noxious weed



3. kochia scoparia- kochia

When found in a sample of proso millet it is:

- 4. a. weed seed
 - b. crop seed
 - c. noxious weed





5. Glycine max- soybeans

When found in a sample of field peas it is:

- 6. a. weed seed
 - b. crop seed
 - c. noxious weed



7. Onobrychis viciifolia- sainfoin

When this seed is found in a sample of alfalfa it is:

- 8. a. weed seed
 - b. crop seed
 - c. noxious weed



9. Silene noctiflora- night flowering catchfly

When this seed is found in a sample of red clover it is:

- 10. a. weed seed
 - b. crop seed
 - c. noxious weed



11. Abutilon theophrasti- velvetleaf - buttonprint

When this seed is found in a sample of corn it is:

- 12. a. weed seed
 - b. crop seed
 - c. noxious weed





13. Centaurea stoebe- spotted knapweed

When this seed is found in a sample of wheat it is:

- 14. a. weed seed
 - b. crop seed
 - c. noxious weed



15. <u>Bromus japonicus- Japanes</u>e chess/Japanese brome

When this seed is found in a sample of a grass mixture composes of tall fescue, ryegrass, brome, and orchardgrass it is:

- 16. a. weed seed
 - b. crop seed
 - c. noxious weed





17. Cicer arietinum- chickpea

When this seed is found in a sample of field beans it is:

- 18. a. weed seed
 - b. crop seed
 - c. noxious weed





19. Avena fatua- wild oats

When this seed is found in a sample of oats it is:

- 20. a. weed seed
 - b. crop seed
 - c. noxious weed





21. Bouteloua dactyloides- buffalo grass

When found in a sample of Kentucky bluegrass it is:

- 22. a. weed seed
 - b. crop seed
 - c. noxious weed





23. Fagopyrum esculentum- buckwheat

When this seed is found in a sample of oats is:

- 24. a. weed seed
 - b. crop seed
 - c. noxious weed



25. Poa annua- annual bluegrass

When this seed is found in a sample of Kentucky bluegrass it is:

- 26. a. weed seed
 - b. crop seed
 - c. noxious weed







27. <u>Aegilops cylindrica -jointe</u>d goatgrass

When this seed found in a sample of intermediate wheatgrass is:

- 28. a. weed seed
 - b. crop seed
 - c. noxious weed






29. Amaranthus spp- pigweed / Amaranthus palmerii/Amaranthus retroflexus (redroot pigweed)

When this seed is found in a sample of sunflower is:

- 30. a. weed seed
 - b. crop seed
 - c. noxious weed



31. Avena sative-oats

found in a sample of Indian rice grass is:

- 32. a. weed seed
 - b. crop seed
 - c. noxious weed





33. Solanum lycopersicum-tomato

When found in a sample of pepper is:

- 34. a. weed seed
 - b. crop seed
 - c. noxious weed







35. <u>Galium spp-cleavers; beds</u>traw

When found in a sample of pepper is:

- 36. a. weed seed
 - b. crop seed
 - c. noxious weed





37. Melilotus spp-sweetclover

When found in a sample of alfalfa is:

- 38. a. weed seed
 - b. crop seed
 - c. noxious weed